2002 Author Index

AFSHAR, Masoud: Inhalation Exposures to Acrylamide in Biomedical Laboratories, 468

AGNEW, Jacqueline: A New Direction in Low-Back Pain Research, 55

ALTAN, M. Cengiz: Replication of Human Tracheobronchial Hollow Airway Models Using a Selective Laser Sintering Rapid Prototyping Technique, 141

ALTREE-WILLIAMS, Stephen: Specific Toxicity and Crystallinity of α-Quartz in Respirable Dust Samples, 348

ANGERER, J.: Determination of Carbon Disulfide at the Workplace by Sampling on Charcoal Tubes—Problems and Solutions, 659

ARCHER, John D.: Exposure to Respirable Crystalline Silica in Eastern North Carolina Farm Workers, 750

ASTRAKIANAKIS, George: Assessment of Exposure in an International Study on Cancer Risks Among Pulp, Paper, and Paper Product Workers, 254

BAEZA, A.: Analytical Model for Evaluating Lateral Capture Efficiencies in Surface Treatment Tanks, 572

BARTH, Edwin F.: Preliminary Assessment of Worker and Ambient Air Exposures during Soil Remediation Technology Demonstration, 76

BEAUDET, Nancy: Crab Allergen Exposures Aboard Five Crab-Processing Vessels, 605

BELLO, D.: Field Comparison of Impingers and Treated Filters for Sampling of Total Aliphatic Isocyanates with MAP Reagent, 790

BELLO, Dhimiter: Exposures to Quartz, Diesel, Dust, and Welding Fumes During Heavy and Highway Construction, 447

BENNETT, James S.: Performance of Deterministic Workplace Exposure Assessment Models for Various Contaminant Source, Air Inlet, and Exhaust Locations, 402

BIERMA, Thomas J.: A New Direction in Low-Back Pain Research, 55

BISHOP, Phillip A.: A Review of Fluid Replacement for Workers in Hot Jobs, 190

BLACKBURN, Gary R.: Evaluation of Worker Exposure to Asphalt Paving Fumes Using Traditional and Nontraditional Techniques, 628

BLOTZER, M.J.: Evaluation of an Occupational Health and Safety Management System Performance Measurement Tool—II: Scoring Methods and Field Study Sites, 34

BLOTZER, M.J.: Evaluation of an Occupational Health and Safety Management System Performance Measurement Tool—III: Measurement of Initiation Elements, 41

BOELTER, Fred W.: Airborne Fiber Exposure Assessment of Dry Asbestos-Containing Gaskets and Packings Found in Intact Industrial and Maritime Fittings, 732

BOFFETTA, Paolo: Assessment of Exposure in an International Study on Cancer Risks Among Pulp, Paper, and Paper Product Workers, 254

BORAK, J.: Exposure of Miners to Diesel Exhaust Particulates in Underground Nonmetal Mines, 651

BOUSKILL, L.M.: Relationship Between Clothing Ventilation and Thermal Insulation, 262

BRAUER, Michael: Exposures and Their Determinants in Radiographic Film Processing, 11

BRINK, LuAnn L.: Changes Over Time in Audiometric Thresholds in a Group of Automobile Stamping and Assembly Workers With a Hearing Conservation Program, 482

BRODKIN, C. Andrew: Crab Allergen Exposures Aboard Five Crab-Processing Vessels, 605

BROSSEAU, Lisa: Noise Levels of Selected Construction Tasks, 334

BROWN, Linfield C.: Chemical Characterization of Sanding Dust and Methylene Chloride Usage in Automotive Refinishing: Implications for Occupational and Environmental Health, 741

BURGESS, Gary L.: Observations of Ethical Misconduct Among Industrial Hygienists in England, 151

BURKS, J. Alton: Changes Over Time in Audiometric Thresholds in a Group of Automobile Stamping and Assembly Workers With a Hearing Conservation Program, 482

BURSTYN, Igor: Characterizing Worker Exposure to Bitumen During Hot Mix Paving and Asphalt Mixing Operations, 293

BUTALA, John H.: Exposure to Wood Dust and Heavy Metals in Workers Using CCA Pressure-Treated Wood, 166

BYRNS, George E.: A New Direction in Low-Back Pain Research, 55

CHAO, Kun-Yu: Percutaneous Absorption of Inorganic Lead Compounds, 641

CHEMERYNSKI, S.: Exposure of Miners to Diesel Exhaust Particulates in Underground Nonmetal Mines, 651

CHEN, Bean T.: Determination of Unique Microbial Volatile Organic Compounds Produced by Five Aspergillus Species Commonly Found in Problem Buildings, 135

CHEN, Mei-Lien: Comparison of Fiber Counting by TV Screen and Eyepieces of Phase Contrast Microscopy, 756

CHESSOR, Ed: Exposures and Their Determinants in Radiographic Film Processing, 11

CHOE, Kyoo T.: Dynamic Monitoring of Dust Pickup Efficiency of Vacuum Cleaners, 689

CHOW, Yat: Exposures and Their Determinants in Radiographic Film Processing, 11

CHRIST, Eberhard: Whole-Body Vibration Exposure Study in U.S. Railroad Locomotives—An Ergonomic Risk Assessment, 439

CHU, P.: Occupant Perception of Indoor Air and Comfort in Four Hospitality Environments, 47

CIRIELLO, Vincent M.: Maximal Acceptable Torques of Highly Repetitive Screw Driving, Ulnar Deviation, and Handgrip Tasks for 7-Hour Workdays, 594

CLAPP, Anthony J.: A Review of Fluid Replacement for Workers in Hot Jobs, 190

CLAPP, Rodney: Specific Toxicity and Crystallinity of α-Quartz in Respirable Dust Samples, 348

CLAUSEN, Bret M.: Development and Piloting of an Exposure Database and Surveillance System for DOE Cleanup Operations, 213

CLEVERSEY, Keith W.: Baseline Indoor Air Quality Measurements Collected from 136 Metropolitan New York Region Commercial Office Buildings Between 1997–1999, 354

CLINKENBEARD, Rodney E.: Replication of Human Tracheobronchial Hollow Airway Models Using a Selective Laser Sintering Rapid Prototyping Technique, 141

COHEN, Beverly: Exposure to Wood Dust and Heavy Metals in Workers Using CCA Pressure-Treated Wood, 166

COHEN, H.J.: Exposure of Miners to Diesel Exhaust Particulates in Underground Nonmetal Mines, 651

COHEN, Howard J.: Chemical Characterization of Sanding Dust and Methylene Chloride Usage in Automotive Refinishing: Implications for Occupational and Environmental Health, 741

COLIN, Didier: Assessment of Exposure in an International Study on Cancer Risks Among Pulp, Paper, and Paper Product Workers, 254

CONNAUGHTON, Ian: Comparison of Endotoxin Assays Using Agricultural Dusts, 430

COOPER, Glinda S.: Exposure to Respirable Crystalline Silica in Eastern North Carolina Farm Workers, 750

COURSON, David L.: Characterization of Particulate Matter in Carbon-Graphite/Epoxy Advanced Composite Material Smoke, 413

CRAWFORD, Gary N.: Airborne Fiber Exposure Assessment of Dry Asbestos-Containing Gaskets and Packings Found in Intact Industrial and Maritime Fittings, 732

CRAWFORD, Richard H.: Replication of Human Tracheobronchial Hollow Airway Models Using a Selective Laser Sintering Rapid Prototyping Technique, 141

CROTEAU, Elizabeth A.: Comparison of Endotoxin Assays Using Agricultural Dusts, 430

CROTEAU, Gerry A.: The Effect of Local Exhaust Ventilation Controls on Dust Exposures During Concrete Cutting and Grinding Activities, 458

CURBOW, Barbara: A New Direction in Low-Back Pain Research, 55

DAROOWALLA, Feroza: Crab Allergen Exposures Aboard Five Crab-Processing Vessels, 605

DAVIES, Hugh: Exposure Levels and Determinants of Softwood Dust Exposures in BC Lumber Mills, 1981–1997, 709

DAVIS, Rickie R.: Hearing Protector Use in Noise-Exposed Workers: A Retrospective Look at 1983, 199

DECKER, Paul: Exposure to Wood Dust and Heavy Metals in Workers Using CCA Pressure-Treated Wood, 166

DEMERS, Paul: Exposure Levels and Determinants of Softwood Dust Exposures in BC Lumber Mills, 1981–1997, 709

DEMPSEY, Patrick G.: Bending the Tool and the Effect on Human Performance: Further Investigation of a Wire-Twisting Task, 587

DEMPSEY, Patrick G.: Maximal Acceptable Torques of Highly Repetitive Screw Driving, Ulnar Deviation, and Handgrip Tasks for 7-Hour Workdays, 594

DES TOMBE, Karen: Benzene in Gasoline and Crude Oil: Occupational and Environmental Implications, 225

DESMARIS, Anne Marie C.: Chemical Characterization of Sanding Dust and Methylene Chloride Usage in Automotive Refinishing: Implications for Occupational and Environmental Health, 741

DHARMADHIKARI, D.M.: A Comprehensive Investigation of Noise Exposure in and Around an Integrated Iron and Steel Works, 172

DOHERTY, Dan: Crab Allergen Exposures Aboard Five Crab-Processing Vessels, 605

DONHAM, Kelley J.: Comparison of Endotoxin Assays Using Agricultural Dusts, 430

DOUWES, Jeroen: Comparison of Endotoxin Assays Using Agricultural Dusts, 430

DREXLER, H.: Determination of Carbon Disulfide at the Workplace by Sampling on Charcoal Tubes—Problems and Solutions, 659

DUFRESNE, A.: Exposure to Formaldehyde Among Animal Health Students, 647

DUNN, Kevin H.: An Evaluation of an Engineering Control to Prevent Carbon Monoxide Poisonings of Individuals on and Around Houseboats, 361

EARNEST, G. Scott: An Evaluation of an Engineering Control to Prevent Carbon Monoxide Poisonings of Individuals on and Around Houseboats, 361

ENANDER, Richard T.: Chemical Characterization of Sanding Dust and Methylene Chloride Usage in Automotive Refinishing: Implications for Occupational and Environmental Health, 741

ERICKSON, Richard P.: Traditional Sampling With Laboratory Analysis and Solid Phase Microextraction Sampling With Field Gas Chromatography/Mass Spectrometry by Military Industrial Hygienists, 284

ESPOSITO, William A.: Baseline Indoor Air Quality Measurements Collected from 136 Metropolitan New York Region Commercial Office Buildings Between 1997–1999, 354

ESTILL, Cheryl Fairfield: Engineering Controls for Furniture Strippers to Meet the OSHA Methylene Chloride PEL, 326

FARANT, Jean-Pierre: Investigation of the Presence of Amino and Nitro Polycyclic Aromatic Hydrocarbons in a Söderberg Primary Aluminum Smelter, 721

FEIGLEY, Charles E.: Performance of Deterministic Workplace Exposure Assessment Models for Various Contaminant Source, Air Inlet, and Exhaust Locations, 402

FERRARI, Pietro: Characterizing Worker Exposure to Bitumen During Hot Mix Paving and Asphalt Mixing Operations, 293

FISCHER, Siegfried: Whole-Body Vibration Exposure Study in U.S. Railroad Locomotives—An Ergonomic Risk Assessment, 439

FITZ, Robert: Liberation of Hydrogen Cyanide and Hydrogen Chloride During High-Temperature Dispersion of CS Riot Control Agent, 493

FLACK, Joy: Crab Allergen Exposures Aboard Five Crab-Processing Vessels, 605

FLANAGAN, Mary Ellen: The Effect of Local Exhaust Ventilation Controls on Dust Exposures During Concrete Cutting and Grinding Activities, 458

FRIEDMAN, Warren: Dynamic Monitoring of Dust Pickup Efficiency of Vacuum Cleaners, 689

GAO, Pengfei: Determination of Unique Microbial Volatile Organic Compounds Produced by Five Aspergillus Species Commonly Found in Problem Buildings, 135

GAUTRIN, D.: Exposure to Formaldehyde Among Animal Health Students, 647

GÖEN, Th.: Determination of Carbon Disulfide at the Workplace by Sampling on Charcoal Tubes—Problems and Solutions, 659

GONZÁLEZ, E.: Analytical Model for Evaluating Lateral Capture Efficiencies in Surface Treatment Tanks, 572

GORDON, Terry: Exposure to Wood Dust and Heavy Metals in Workers Using CCA Pressure-Treated Wood, 166

GÖRES, Benno: Whole-Body Vibration Exposure Study in U.S. Railroad Locomotives—An Ergonomic Risk Assessment, 439

GREESON, Nicole M.H.: Assessment of Variability on Biomonitoring Data Using a Large Database of Biological Measures of Exposure, 390

GRINSHPUN, Sergey A.: Dynamic Monitoring of Dust Pickup Efficiency of Vacuum Cleaners, 689

GROGAN, John L.: Diesel Particulate Matter Exposure to Railroad Train Crews, 610

GUFFEY, Steven E.: The Effect of Local Exhaust Ventilation Controls on Dust Exposures During Concrete Cutting and Grinding Activities, 458

GUTE, David M.: Chemical Characterization of Sanding Dust and Methylene Chloride Usage in Automotive Refinishing: Implications for Occupational and Environmental Health, 741

HALL, Andrew: Exposure Levels and Determinants of Softwood Dust Exposures in BC Lumber Mills, 1981–1997, 709

HALL, Ronald M.: An Evaluation of an Engineering Control to Prevent Carbon Monoxide Poisonings of Individuals on and Around Houseboats, 361

HALL, T.: Exposure of Miners to Diesel Exhaust Particulates in Underground Nonmetal Mines, 651

HÄMEILÄ, Mervi: Occupational Exposure to Bitumen During Road Paving, 156

HARPER, Martin: Extracting Metalworking Fluid Aerosol Samples in Cassettes by Provisional ASTM and NIOSH Methods, 488

HARRINGTON, David: Residential and Commercial Painters' Exposure to Lead during Surface Preparation, 22

HARRIST, Ronald B.: Inhalation Exposures to Acrylamide in Biomedical Laboratories, 468

HART, Erin M.: VOC Exposures in a Mixed-Use University Art Building, 703

HAVENITH, G.: Relationship Between Clothing Ventilation and Thermal Insulation, 262

HEEDERIK, D.J.J.: Comparison of Endotoxin Assays Using Agricultural Dusts, 430

HEEDERIK, Dick: Characterizing Worker Exposure to Bitumen During Hot Mix Paving and Asphalt Mixing Operations, 293

HEIKKILÄ, Pirjo: Occupational Exposure to Bitumen During Road Paving, 156

HERMANSEN, Ove: A Tracer Method for Evaluating Recirculation of Pollutant Releases in Buildings, 234

HERNANDEZ, Daniel W.: Exposure Modeling and Risk Assessment at a Water Pollution Control Plant, 340

HERRICK, Robert F.: Exposure Databases and Exposure Surveillance: Promise and Practice, 205

HIRTLE, Bob: Exposures and Their Determinants in Radiographic Film Processing, 11

HOLWAGER, Lee Ann: Development and Piloting of an Exposure Database and Surveillance System for DOE Cleanup Operations, 213

HWANG, Yaw-Huei: Percutaneous Absorption of Inorganic Lead Compounds, 641

INFANTE-RIVARD, C.: Exposure to Formaldehyde Among Animal Health Students, 647

JAMES, Lawrence E.: A Comparative Analysis of Glove Permeation Resistance to Paint Stripping Formulations, 62

JANG, Jae-Yeon: Quantitative Exposure Assessment for Shipyard Workers Exposed to Hand-Transmitted Vibration From a Variety of Vibration Tools, 305

JANSSEN, Larry L.: Comparison of Three Commercially Available Fit-Test Methods, 762

JAYJOCK, Michael: Uncertainty in Exposure Estimates Made by Modeling Versus Monitoring, 275

JEE, Shiou-Hwa: Percutaneous Absorption of Inorganic Lead Compounds, 641

JOHANNING, Eckardt: Whole-Body Vibration Exposure Study in U.S. Railroad Locomotives—An Ergonomic Risk Assessment, 439

JOHNSON, C. Sue: Noise Levels of Selected Construction Tasks, 334

JOHNSON, David L.: Replication of Human Tracheobronchial Hollow Airway Models Using a Selective Laser Sintering Rapid Prototyping Technique, 141

JOHNSON, David L.: UV Disinfection of Soluble Oil Metalworking Fluids, 178

KALIL, Andrew: Exposures to Quartz, Diesel, Dust, and Welding Fumes During Heavy and Highway Construction, 447

KAPPLER, Leon L.: VOC Exposures in a Mixed-Use University Art Building, 703

KARLSSON, Eva: Validity of Occupational Energy Expenditure Assessed by Interview, 29

KAUPPINEN, Timo: Assessment of Exposure in an International Study on Cancer Risks Among Pulp, Paper, and Paper Product Workers, 254

KEEFE, Anya: Assessment of Exposure in an International Study on Cancer Risks Among Pulp, Paper, and Paper Product Workers, 254

KELLY, Kevin M.: Comparison of Endotoxin Assays Using Agricultural Dusts, 430

KENNEDY, Susan M.: Exposures and Their Determinants in Radiographic Film Processing, 11

KERR, Madeleine J.: Noise Levels of Selected Construction Tasks, 334

KHAN, Jamil: Performance of Deterministic Workplace Exposure Assessment Models for Various Contaminant Source, Air Inlet, and Exhaust Locations, 402

KILBOM, Åsa: Validity of Occupational Energy Expenditure Assessed by Interview, 29

KIM, Soyeon: Quantitative Exposure Assessment for Shipyard Workers Exposed to Hand-Transmitted Vibration From a Variety of Vibration Tools, 305

KIM, Yangho: Development of a Sampling and Analytical Method for 2,2-Dichloro-1,1,1-trifluoroethane in Workplace Air, 715

KIMMEL, Edgar C.: Characterization of Particulate Matter in Carbon-Graphite/Epoxy Advanced Composite Material Smoke, 413

KLUCHINSKY JR, Timothy A.: Liberation of Hydrogen Cyanide and Hydrogen Chloride During High-Temperature Dispersion of CS Riot Control Agent, 493

KLUCHINSKY JR, Timothy A.: Traditional Sampling With Laboratory Analysis and Solid Phase Microextraction Sampling With Field Gas Chromatography/Mass Spectrometry by Military Industrial Hygienists, 284

KOCH, Sharon: Comparison of Endotoxin Assays Using Agricultural Dusts, 430

KORHONEN, Kari: Assessment of Exposure in an International Study on Cancer Risks Among Pulp, Paper, and Paper Product Workers, 254

KORLEY, Frederick: Determination of Unique Microbial Volatile Organic Compounds Produced by Five Aspergillus Species Commonly Found in Problem Buildings, 135

KOVACS, Kimberly: Grip Force and Muscle Activity Differences Due to Glove Type, 269

KOVEIN, Ronald J.: Engineering Controls for Furniture Strippers to Meet the OSHA Methylene Chloride PEL, 326

KRIECH, Anthony J.: Evaluation of Worker Exposure to Asphalt Paving Fumes Using Traditional and Nontraditional Techniques, 628

KRISHNAMOORTHY, K.: Statistical Methods for Establishing Equivalency of a Sampling Device to the OSHA Standard, 567

KROMHOUT, Hans: Characterizing Worker Exposure to Bitumen During Hot Mix Paving and Asphalt Mixing Operations, 293

KUKLANE, K.: Relationship Between Clothing Ventilation and Thermal Insulation, 262

KUO, Yu-Mei: Effect of Rise Distance on Droplets Generated from Bubble Bursting on the Surface of Chromic Acid Solutions, 5

KUREK, Joseph T.: Evaluation of Worker Exposure to Asphalt Paving Fumes Using Traditional and Nontraditional Techniques, 628

KURIMO, Robert W.: Engineering Controls for Furniture Strippers to Meet the OSHA Methylene Chloride PEL, 326

LAMONTAGNE, Anthony D.: Development and Piloting of an Exposure Database and Surveillance System for DOE Cleanup Operations, 213

LAMONTAGNE, Anthony D.: Exposure Databases and Exposure Surveillance: Promise and Practice, 205

LANDSBERGIS, Paul: Whole-Body Vibration Exposure Study in U.S. Railroad Locomotives—An Ergonomic Risk Assessment, 439

LARSON, Leon: Evaluation of Passive Card Monitors for Hydrogen Sulfide for Use in Kraft Pulp Mill Workplace Atmospheres, 317

LARSSON, Britt-Marie: Comparison of Endotoxin Assays Using Agricultural Dusts, 430

LAVENDER, S.A.: A Study of Female Mexican Anthropometric Measures Useful for Workstation Design in Light Manufacturing Facilities, 300

LEAMON, Tom B.: Bending the Tool and the Effect on Human Performance: Further Investigation of a Wire-Twisting Task, 587

LEE, Arthur P.: Traditional Sampling With Laboratory Analysis and Solid Phase Microextraction Sampling With Field Gas Chromatography/Mass Spectrometry by Military Industrial Hygienists, 284

LEE, Eungyoung: Performance of Deterministic Workplace Exposure Assessment Models for Various Contaminant Source, Air Inlet, and Exhaust Locations, 402

LEE, Tae-Young: Quantitative Exposure Assessment for Shipyard Workers Exposed to Hand-Transmitted Vibration From a Variety of Vibration Tools, 305

LEVINE, S.P.: Evaluation of an Occupational Health and Safety Management System Performance Measurement Tool—II: Scoring Methods and Field Study Sites, 34

LEVINE, S.P.: Evaluation of an Occupational Health and Safety Management System Performance Measurement Tool—III: Measurement of Initiation Elements, 41

LEWIS, Daniel: Comparison of Endotoxin Assays Using Agricultural Dusts, 430

LINDGREN, Maria: Styrene Emissions from the Spray-Up and Vacuum Injection Processes—A Quantitative Comparison, 184

LIU, Y.C.: Field Comparison of Impingers and Treated Filters for Sampling of Total Aliphatic Isocyanates with MAP Reagent, 790

LIUKKONEN, Tuula: Assessment of Exposure in an International Study on Cancer Risks Among Pulp, Paper, and Paper Product Workers, 254

LIUKONEN, Larry R.: Diesel Particulate Matter Exposure to Railroad Train Crews, 610

LLOYD, Lisa K.: A Review of Fluid Replacement for Workers in Hot Jobs, 190

LUINENBURG, Michael D.: Comparison of Three Commercially Available Fit-Test Methods, 762

LUTZ, Rafer: Should the Threshold Limit Value for Power Frequency (60 Hz) Magnetic Fields be Changed? Perceptions Among Scientists and Other Risk Experts, 636

MAIBACH, Howard I.: Partition Coefficients for Benzene in Human Skin, 685

MAJEWSKI, M.P.: Evaluation of an Occupational Health and Safety Management System Performance Measurement Tool—II: Scoring Methods and Field Study Sites, 34

MAJEWSKI, M.P.: Evaluation of an Occupational Health and Safety Management System Performance Measurement Tool—III: Measurement of Initiation Elements, 41

MALMBERG, Per: Comparison of Endotoxin Assays Using Agricultural Dusts, 430

MALO, J.L.: Exposure to Formaldehyde Among Animal Health Students, 647

MAO, I-Fang: Comparison of Fiber Counting by TV Screen and Eyepieces of Phase Contrast Microscopy, 756

MARION, Steve: Exposure Levels and Determinants of Softwood Dust Exposures in BC Lumber Mills, 1981–1997, 709

MARONITIS, Anthony: Grip Force and Muscle Activity Differences Due to Glove Type, 269

MARRAS, W.S.: A Study of Female Mexican Anthropometric Measures Useful for Workstation Design in Light Manufacturing Facilities, 300

MARRAS, William S.: Grip Force and Muscle Activity Differences Due to Glove Type, 269

MARTIN, Jennifer: Determination of Unique Microbial Volatile Organic Compounds Produced by Five Aspergillus Species Commonly Found in Problem Buildings, 135

MARTYNY, John W.: Development and Piloting of an Exposure Database and Surveillance System for DOE Cleanup Operations, 213

MARTYNY, John W.: Exposure Databases and Exposure Surveillance: Promise and Practice, 205

MARZAL, F.: Analytical Model for Evaluating Lateral Capture Efficiencies in Surface Treatment Tanks, 572

MATERNA, Barbara L.: Residential and Commercial Painters' Exposure to Lead during Surface Preparation, 22

MATHEW, Thomas: Statistical Methods for Establishing Equivalency of a Sampling Device to the OSHA Standard, 567

McCAMMON, Jane B.: An Evaluation of an Engineering Control to Prevent Carbon Monoxide Poisonings of Individuals on and Around Houseboats, 361

McCLEERY, Robert E.: An Evaluation of an Engineering Control to Prevent Carbon Monoxide Poisonings of Individuals on and Around Houseboats, 361

McGORRY, Raymond W.: Bending the Tool and the Effect on Human Performance: Further Investigation of a Wire-Twisting Task, 587

McMAHAN, Shari: Should the Threshold Limit Value for Power Frequency (60 Hz) Magnetic Fields be Changed? Perceptions Among Scientists and Other Risk Experts, 636

MEYER, Jon'a: Should the Threshold Limit Value for Power Frequency (60 Hz) Magnetic Fields be Changed? Perceptions Among Scientists and Other Risk Experts, 636

MILTON, Donald K.: Comparison of Endotoxin Assays Using Agricultural Dusts, 430

MIÑANA, A.: Analytical Model for Evaluating Lateral Capture Efficiencies in Surface Treatment Tanks, 572

MISSAGHIAN, Richard: Chemical Characterization of Sanding Dust and Methylene Chloride Usage in Automotive Refinishing: Implications for Occupational and Environmental Health, 741

MIYAUCHI, Hiroyuki: Monitoring for N,N-Dimethylformamide and N,N-Dimethylacetamide with a Diffusive Sampler Using Distilled Water as an Absorbent, 726

MORANDI, Maria T.: Inhalation Exposures to Acrylamide in Biomedical Laboratories, 468

MORTIMER, Monica: Validity of Occupational Energy Expenditure Assessed by Interview, 29

MOSCHANDREAS, D.J.: Occupant Perception of Indoor Air and Comfort in Four Hospitality Environments, 47

MULLEN, David: Observations of Ethical Misconduct Among Industrial Hygienists in England, 151

MÜLLER, J.: Determination of Carbon Disulfide at the Workplace by Sampling on Charcoal Tubes—Problems and Solutions, 659

MULLINS, Haskell E.: Comparison of Three Commercially Available Fit-Test Methods, 762

MUSIC-Norrtälje Study Group: Validity of Occupational Energy Expenditure Assessed by Interview, 29

MYERS, Warren: Diesel Particulate Matter Exposure to Railroad Train Crews, 610

NAKAZAWA, Miho: Monitoring for N,N-Dimethylformamide and N,N-Dimethylacetamide with a Diffusive Sampler Using Distilled Water as an Absorbent, 726

NEITZEL, Richard: Task-Based Assessment of Occupational Vibration and Noise Exposures in Forestry Workers, 617

NELSON, Thomas J.: Comparison of Three Commercially Available Fit-Test Methods, 762

NICAS, Mark: Uncertainty in Exposure Estimates Made by Modeling Versus Monitoring, 275

NICOL, Anne-Marie: Assessment of Exposure in an International Study on Cancer Risks Among Pulp, Paper, and Paper Product Workers, 254

NOMIYAMA, Tetsuo: Monitoring for N,N-Dimethylformamide and N,N-Dimethylacetamide with a Diffusive Sampler Using Distilled Water as an Absorbent, 726

NYKYRI, Erkki: Occupational Exposure to Bitumen During Road Paving, 156

NYLANDER-FRENCH, Leena A.: Exposure to Respirable Crystalline Silica in Eastern North Carolina Farm Workers, 750

O'BRIEN, Niall: Bending the Tool and the Effect on Human Performance: Further Investigation of a Wire-Twisting Task, 587

O'SHAUGHNESSY, Patrick T.: Photometer Response Determination Based on Aerosol Physical Characteristics, 578

OGILVIE, David: Investigation of the Presence of Amino and Nitro Polycyclic Aromatic Hydrocarbons in a Söderberg Primary Aluminum Smelter, 721

OSBORN, Linda V.: Evaluation of Worker Exposure to Asphalt Paving Fumes Using Traditional and Nontraditional Techniques, 628

PAIK, Nam Won: Development of a Sampling and Analytical Method for 2,2-Dichloro-1,1,1-trifluoroethane in Workplace Air, 715

PAIK, Samuel: Filter and Cassette Mass Instability in Ascertaining the Limit of Detection of Inhalable Airborne Particulates, 698

PALMER, Catherine V.: Changes Over Time in Audiometric Thresholds in a Group of Automobile Stamping and Assembly Workers With a Hearing Conservation Program, 482

PANDYA, G.H.: A Comprehensive Investigation of Noise Exposure in and Around an Integrated Iron and Steel Works, 172

PANNETT, Brian: Assessment of Exposure in an International Study on Cancer Risks Among Pulp, Paper, and Paper Product Workers, 254

PANTUSA, Victor P.: Inhalation Exposures to Acrylamide in Biomedical Laboratories, 468

PARK, Sang Kyu: Quantitative Exposure Assessment for Shipyard Workers Exposed to Hand-Transmitted Vibration From a Variety of Vibration Tools, 305

PARK, Seok-Min: Replication of Human Tracheobronchial Hollow Airway Models Using a Selective Laser Sintering Rapid Prototyping Technique, 141

PARSONS, K.C.: Relationship Between Clothing Ventilation and Thermal Insulation, 262

PARTHASARATHY, Ramkumar: Replication of Human Tracheobronchial Hollow Airway Models Using a Selective Laser Sintering Rapid Prototyping Technique, 141

PERNOLD, Gunilla: Validity of Occupational Energy Expenditure Assessed by Interview, 29

PETTERSSON, Joakim: Styrene Emissions from the Spray-Up and Vacuum Injection Processes—A Quantitative Comparison, 184

PFÄFFLI, Pirkko: Occupational Exposure to Bitumen During Road Paving, 156

PHILLIPS, Margaret L.: UV Disinfection of Soluble Oil Metalworking Fluids, 178

PODRAZA, Daniel M.: Airborne Fiber Exposure Assessment of Dry Asbestos-Containing Gaskets and Packings Found in Intact Industrial and Maritime Fittings, 732

RAY, Alison E.: Performance of the RespiCon™ Personal Aerosol Sampler in Forest Products Industry Workplaces, 311

REDINGER, C.F.: Evaluation of an Occupational Health and Safety Management System Performance Measurement Tool—II: Scoring Methods and Field Study Sites, 34

REDINGER, C.F.: Evaluation of an Occupational Health and Safety Management System Performance Measurement Tool—III: Measurement of Initiation Elements, 41

REIST, Parker C.: Exposure to Respirable Crystalline Silica in Eastern North Carolina Farm Workers, 750

REPONEN, Tiina: Dynamic Monitoring of the Dust Pickup Efficiency of Vacuum Cleaners, 689

REYNOLDS, Stephen J.: Comparison of Endotoxin Assays Using Agricultural Dusts, 430

RIALA, Riitta: Occupational Exposure to Bitumen During Road Paving, 156

ROH, Jaehoon: Quantitative Exposure Assessment for Shipyard Workers Exposed to Hand-Transmitted Vibration From a Variety of Vibration Tools, 305

ROMINE, James D.: Preliminary Assessment of Worker and Ambient Air Exposures during Soil Remediation Technology Demonstration, 76

ROVELL-RIXX, David: Performance of the RespiCon™ Personal Aerosol Sampler in Forest Products Industry Workplaces, 311

RUTTENBER, A. James: Development and Piloting of an Exposure Database and Surveillance System for DOE Cleanup Operations, 213

RUTTENBER, A. James: Exposure Databases and Exposure Surveillance: Promise and Practice, 205

RYAN, Timothy J.: VOC Exposures in a Mixed-Use University Art Building, 703

RYDOCK, James P.: A Tracer Method for Evaluating Recirculation of Pollutant Releases in Buildings, 234

RYTKÖNEN, E.: High-Frequency Noise in Dentistry, 231

SÄÄMÄNEN, Arto: The Effect of Spraying and Rolling Process Factors on Styrene Emission During the Application of Unsaturated Polyester Resins, 474

SABOL, R.J.: A Study of Female Mexican Anthropometric Measures Useful for Workstation Design in Light Manufacturing Facilities, 300

SANDLUND, Erik: Styrene Emissions from the Spray-Up and Vacuum Injection Processes—A Quantitative Comparison, 184

SAUNDERS, Fran: Evaluation of Passive Card Monitors for Hydrogen Sulfide for Use in Kraft Pulp Mill Workplace Atmospheres, 317

SAVAGE, Paul B.: Liberation of Hydrogen Cyanide and Hydrogen Chloride During High-Temperature Dispersion of CS Riot Control Agent, 493

SAVAGE, Paul B.: Traditional Sampling With Laboratory Analysis and Solid Phase Microextraction Sampling With Field Gas Chromatography/Mass Spectrometry by Military Industrial Hygienists, 284

SCHOLZ, Peter F.: Residential and Commercial Painters' Exposure to Lead during Surface Preparation, 22

SEIXAS, Noah S.: The Effect of Local Exhaust Ventilation Controls on Dust Exposures During Concrete Cutting and Grinding Activities, 458

SEKI, Yukio: Monitoring for N,N-Dimethylformamide and N,N-Dimethylacetamide with a Diffusive Sampler Using Distilled Water as an Absorbent, 726

SHIN, Yong Chul: Development of a Sampling and Analytical Method for 2,2-Dichloro-1,1,1-trifluoroethane in Workplace Air, 715

SHULMAN, Stanley A.: A Method for Estimation of Bias and Variability of Continuous Gas Monitor Data: Application to Carbon Monoxide Monitor Accuracy, 559

SHULMAN, Stanley A.: Engineering Controls for Furniture Strippers to Meet the OSHA Methylene Chloride PEL, 326

SIEBER, W. Karl: Hearing Protector Use in Noise-Exposed Workers: A Retrospective Look at 1983, 199

SIMPSON, Mark W.: Development and Piloting of an Exposure Database and Surveillance System for DOE Cleanup Operations, 213

SINCLAIR, Georgia C.: Partition Coefficients for Benzene in Human Skin, 685

SIRIANNI, G.: Exposure of Miners to Diesel Exhaust Particulates in Underground Nonmetal Mines, 651

SKRIFVARS, Mikael: Styrene Emissions from the Spray-Up and Vacuum Injection Processes—A Quantitative Comparison, 184

SKRIFVARS, Mikael: The Effect of Spraying and Rolling Process Factors on Styrene Emission During the Application of Unsaturated Polyester Resins, 474

SLAGLEY, Jeremy M.: Photometer Response Determination Based on Aerosol Physical Characteristics, 578

SMITH, Jerome P.: A Method for Estimation of Bias and Variability of Continuous Gas Monitor Data: Application to Carbon Monoxide Monitor Accuracy, 559

SMITH, Joe F.: A Review of Fluid Replacement for Workers in Hot Jobs, 190

SMITH, Philip A.: Liberation of Hydrogen Cyanide and Hydrogen Chloride During High-Temperature Dispersion of CS Riot Control Agent, 493

SMITH, Philip A.: Traditional Sampling With Laboratory Analysis and Solid Phase Microextraction Sampling With Field Gas Chromatography/Mass Spectrometry by Military Industrial Hygienists, 284

SORAINEN, E.: High-Frequency Noise in Dentistry, 231

SPARER, J.: Field Comparison of Impingers and Treated Filters for Sampling of Total Aliphatic Isocyanates with MAP Reagent, 790

SPLITTSTOESSER, Riley: Grip Force and Muscle Activity Differences Due to Glove Type, 269

SPRINGSTON, John P.: Baseline Indoor Air Quality Measurements Collected from 136 Metropolitan New York Region Commercial Office Buildings Between 1997–1999, 354

STEVENS, Michael: Traditional Sampling With Laboratory Analysis and Solid Phase Microextraction Sampling With Field Gas Chromatography/Mass Spectrometry by Military Industrial Hygienists, 284

STOCK, Thomas, H.: Inhalation Exposures to Acrylamide in Biomedical Laboratories, 468

STORM, Julia F.: Exposure to Respirable Crystalline Silica in Eastern North Carolina Farm Workers, 750

STOVER, Bert: Crab Allergen Exposures Aboard Five Crab-Processing Vessels, 605

STREICHER, R.P.: Field Comparison of Impingers and Treated Filters for Sampling of Total Aliphatic Isocyanates with MAP Reagent, 790

STULL, Jeffrey O.: A Comparative Analysis of Glove Permeation Resistance to Paint Stripping Formulations, 62

SUN, Chee-Ching: Percutaneous Absorption of Inorganic Lead Compounds, 641

SUTER, Alice H.: Construction Noise: Exposure, Effects, and the Potential for Remediation; A Review and Analysis, 768

SYMANSKI, Elaine: Assessment of Variability in Biomonitoring Data Using a Large Database of Biological Measures of Exposure, 390

TALBOTT, Evelyn O.: Changes Over Time in Audiometric Thresholds in a Group of Automobile Stamping and Assembly Workers With a Hearing Conservation Program, 482

TAN, Kah-Hoe: Replication of Human Tracheobronchial Hollow Airway Models Using a Selective Laser Sintering Rapid Prototyping Technique, 141

TANAKA, Shigeru: Monitoring for N,N-Dimethylformamide and N,N-Dimethylacetamide with a Diffusive Sampler Using Distilled Water as an Absorbent, 726

TATUM, Vickie L.: Performance of the RespiCon™ Personal Aerosol Sampler in Forest Products Industry Workplaces, 311

TATUM, Vickie: Evaluation of Passive Card Monitors for Hydrogen Sulfide for Use in Kraft Pulp Mill Workplace Atmospheres, 317

TESCHKE, Kay: Assessment of Exposure in an International Study on Cancer Risks Among Pulp, Paper, and Paper Product Workers, 254

TESCHKE, Kay: Exposure Levels and Determinants of Softwood Dust Exposures in BC Lumber Mills, 1981–1997, 709

TESCHKE, Kay: Exposures and Their Determinants in Radiographic Film Processing, 11

THOMAS, Richard J.: Traditional Sampling With Laboratory Analysis and Solid Phase Microextraction Sampling With Field Gas Chromatography/Mass Spectrometry by Military Industrial Hygienists, 284

THOMAS, Richard W.: A Comparative Analysis of Glove Permeation Resistance to Paint Stripping Formulations, 62

THORNE, Peter S.: Comparison of Endotoxin Assays Using Agricultural Dusts, 430

TORNQVIST, Ewa Wigaeus: Validity of Occupational Energy Expenditure Assessed by Interview, 29

TRAKUMAS, Saulius: Dynamic Monitoring of the Dust Pickup Efficiency of Vacuum Cleaners, 689

URATSU, Connie: Residential and Commercial Painters' Exposure to Lead during Surface Preparation, 22

VAN DYKE, Michael V.: Development and Piloting of an Exposure Database and Surveillance System for DOE Cleanup Operations, 213

VAN DYKE, Michael V.: Exposure Databases and Exposure Surveillance: Promise and Practice, 205

VERMA, Dave K.: Benzene in Gasoline and Crude Oil: Occupational and Environmental Implications, 225

VINCENT, James H.: Filter and Cassette Mass Instability in Ascertaining the Limit of Detection of Inhalable Airborne Particulates, 698

VINGÅRD, Eva: Validity of Occupational Energy Expenditure Assessed by Interview, 29

VIRJI, M. Abbas: Exposures to Quartz, Diesel, Dust, and Welding Fumes During Heavy and Highway Construction, 447

WAMBACH, Paul F.: Variation in Exposure Levels for High Hazard Frequently Monitored Agents, 424

WANG, Chiu-Sen: Effect of Rise Distance on Droplets Generated from Bubble Bursting on the Surface of Chromic Acid Solutions, 5

WANG, Jung-Der: Percutaneous Absorption of Inorganic Lead Compounds, 641

WARD, Helen Dimich: Exposures and Their Determinants in Radiographic Film Processing, 11

WATKINS, Daniel S.: Engineering Controls for Furniture Strippers to Meet the OSHA Methylene Chloride PEL, 326

WEBSTER, Barbara S.: Maximal Acceptable Torques of Highly Repetitive Screw Driving, Ulnar Deviation, and Handgrip Tasks for 7-Hour Workdays, 594

WEGH, Hillion: Characterizing Worker Exposure to Bitumen During Hot Mix Paving and Asphalt Mixing Operations, 293

WESTBERG, Håkan: Assessment of Exposure in an International Study on Cancer Risks Among Pulp, Paper, and Paper Product Workers, 254

WESTER, Ronald C.: Partition Coefficients for Benzene in Human Skin, 685

WHITMER, Mike: Comparison of Endotoxin Assays Using Agricultural Dusts, 430

WIKTORIN, Christina: Validity of Occupational Energy Expenditure Assessed by Interview, 29

WILLEKE, Klaus: Dynamic Monitoring of the Dust Pickup Efficiency of Vacuum Cleaners, 689

WILLIAMS, Kenneth: Traditional Sampling With Laboratory Analysis and Solid Phase Microextraction Sampling With Field Gas Chromatography/Mass Spectrometry by Military Industrial Hygienists, 284

WISSEL, Herbert L.: Evaluation of Worker Exposure to Asphalt Paving Fumes Using Traditional and Nontraditional Techniques, 628

WITHEY, W.R.: Relationship Between Clothing Ventilation and Thermal Insulation, 262

WONG, Ten-Tsao: Percutaneous Absorption of Inorganic Lead Compounds, 641

WOSKIE, S.R.: Field Comparison of Impingers and Treated Filters for Sampling of Total Aliphatic Isocyanates with MAP Reagent, 790

WOSKIE, Susan R.: Exposures to Quartz, Diesel, Dust, and Welding Fumes During Heavy and Highway Construction, 447

WRIGHT, Kenneth E.: A Review of Fluid Replacement for Workers in Hot Jobs, 190

WU, Ming-Tsang: Assessment of the Effectiveness of Respirator Usage in Coke Oven Workers, 72

YAMADA, Ken'ichi: Monitoring for N,N-Dimethylformamide and N,N-Dimethylacetamide with a Diffusive Sampler Using Distilled Water as an Absorbent, 726

YAMAUCHI, Tuneyuki: Monitoring for N,N-Dimethylformamide and N,N-Dimethylacetamide with a Diffusive Sampler Using Distilled Water as an Absorbent, 726

YEH, Hui-Roung: Comparison of Fiber Counting by TV Screen and Eyepieces of Phase Contrast Microscopy, 756

YEUNG, Moira Chan: Exposures and Their Determinants in Radiographic Film Processing, 11

YI, Gwang Yong: Development of a Sampling and Analytical Method for 2,2-Dichloro-1,1,1-trifluoroethane in Workplace Air, 715

YOST, Michael: Task-Based Assessment of Occupational Vibration and Noise Exposures in Forestry Workers, 617

YOUN, Jeong Taek: Quantitative Exposure Assessment for Shipyard Workers Exposed to Hand-Transmitted Vibration From a Variety of Vibration Tools, 305

YOUNGS, F.: Field Comparison of Impingers and Treated Filters for Sampling of Total Aliphatic Isocyanates with MAP Reagent, 790

2002 Subject Index

A

absorbance
- benzene, 685–688
- bitumen fume, 293–299
- inhalable particles, 293–299
- inorganic lead compounds, 641–646

accuracy, carbon monoxide monitor, 559–566
acetic acid, film processing, 11–21
ACGIH. See American Conference of Governmental Industrial Hygienists (ACGIH)
acrylamide
- biomedical laboratories, 468–473
- inhalation exposure, 468–473

advanced composite material, characterization of particulate matter, 413–423
aerosol
- exposures to, 141–150
- inhalable airborne particulates, 698–702
- optical photometer, 689–697
- toxic or pathogenic, 141–150

agriculture, respirable crystalline silica, 750–755
airborne particulate matter, RespiCon™ personal aerosol sampler, 311–316
aliphatic isocyanates, air sampling, 790–796
allergen, crab, 605–609
ambient monitoring, carbon disulfide, 659–663
American Conference of Governmental Industrial Hygienists (ACGIH)
- threshold limit value for diesel exhaust, 447–457
- threshold limit value for elemental carbon, 651–658

American National Standards Institute (ANSI), Z88.10, Respirator Fit Testing Methods, 762–767
analytical method, 2,2-dichloro-1,1,1-trifluoroethane in workplace air, 715–720
analytical model
- lateral capture efficiencies, 572–577
- surface treatment tanks, 572–577

animal health students, formaldehyde exposure, 647–650
ANSI. *See* American National Standards Institute (ANSI)
1-(9-anthracenylmethyl)piperazine (MAP)
- air sampling, 790–796
- aliphatic isocyanates, 790–796

anthropometric design, Mexican light manufacturing facilities, 300–304
arsenic, wood treatment, 166–171
art
- indoor air quality, 703–708
- volatile organic compounds (VOCs), 703–708

asbestos
- gaskets and packing, industrial and maritime fittings, 732–740
- variation in exposure levels, 424–429

Aspergillus, unique microbial volatile organic compounds, 135–140
asphalt
- bitumen exposure, 293–299
- paving fumes, 628–635

asthma, crab allergen, 605–609
attribution theory, low-back pain research, 55–61
auto body shops
- aliphatic isocyanates, 790–796
- refinishing, sanding dust and methylene chloride, 741–749

auto workers
- audiometric thresholds, 482–487
- hearing conservation, 482–487
- metalworking fluid aerosol, 488–492

B

barscreen room
- VOC emissions, 340–347
- water pollution control plant, 340–347

baseline testing
- commercial office buildings, 354–360
- indoor air quality, 354–360

benzene
- gasoline and crude oil, 225–230
- partition coefficients, 685–688
- soluble fraction of total particulates, 72–75

beryllium, variation in exposure levels, 424–429
beverages, fluid replacement, 190–198
bias, continuous gas monitor data, 559–566
BIOH. *See* British Institute of Occupational Hygienists (BIOH)
biomarkers, exposure variability, 390–401
bitumen
- asphalt mixing, 293–299
- exposure, 156–165
- hot mix paving, 293–299
- paving fumes, 628–635
- road paving, 156–165
- vapor, 156–165

blood lead levels, residential and commercial painters, 23
British Institute of Occupational Hygienists (BIOH), ethical codes, 151–155
bubble bursting, chromium electroplating, 5–10

C

capture efficiency
- analytical model, 572–577
- surface treatment tanks, 572–577

carbon, locomotives, 610–616
carbon dioxide
- commercial office buildings, 354–360
- indoor air quality, 354–360

carbon disulfide, ambient monitoring, 659–663
carbon-graphite/epoxy, advanced composite material, 413–423
carbon monoxide
- commercial office buildings, 354–360
- houseboats, 361–369
- indoor air quality, 354–360
- poisoning, 361–369
- sensor performance, 130

carcinogenicity, asphalt paving fumes, 628–635
cassettes
- inhalable airborne particulates, 698–702
- mass instability, 698–702

censored data
- exposure levels, 424–429
- high hazardous agents, 424–429

charcoal tubes
- ambient monitoring, 659–663
- carbon disulfide, 659–663

chemical agents, exposure assessment, 254–261
chemical degradation resistance
- gloves, 62–71
- paint stripping, 62–71

chemical permeation resistance
- gloves, 62–71
- paint stripping, 62–71

chromium
- droplets, nasal septum disorders, 5–10
- electroplating, 5–10
- wood treatment, 166–171

cohort study
- audiometric threshold, 482–487
- auto workers, 482–487
- hearing conservation, 482–487

cold stress, clothing ventilation and insulation, 262–268
combustion
- carbon monoxide poisoning, 361–369
- houseboats, 361–369

completely mixed models, 402–412
computational fluid dynamics, exposure assessment, 402–412
computer applications, exposure assessment system, 254–261
construction
- asphalt mixing, 293–299

concrete cutting and grinding, 458–467
exposure
- noise, 334–339
- quartz, diesel, dust, and welding fumes, 447–457
- hot mix paving, 293–299
- local exhaust ventilation controls, 458–467
- noise-induced hearing loss, 768–789

correction factor, aerosol photometers, 578–585
crab
- allergen, 605–609
- asthma, 605–609
- crude oil, benzene, 225–230
- crystallinity
  - α-quartz, 348–353
  - respirable dust, 348–353

cultivation, *Aspergillus*, 135–140

D

degradation product
- CS riot control agent, 493–496
- high-temperature dispersion, 493–496

dehydration, fluid replacement beverages, 190–198
dentistry
- equipment, 231–233
- high-frequency noise, 231–233

Department of Energy (DOE), cleanup operations, 213–224

dermal
absorption, benzene, 685–688
deposition, bitumen, 293–299
2,2-dichloro-1,1,1-trifluoroethane (HCFC-123), workplace air, 715–720
diesel exhaust
construction, 447–457
exposure, 447–457, 610–616, 651–658
particulate, control strategies, 554–558
railroad train crews, 610–616
underground nonmetal mines, 651–658
diffusive sampler
N,N-dimethylacetamide (DMAC), 726–731
N,N-dimethylformamide (DMF), 726–731
N,N-dimethylacetamide (DMAC), diffusive sampler, 726–731
N,N-dimethylformamide (DMF), diffusive sampler, 726–731
dip tank
furniture stripping, 326–333
OSHA methylene chloride PEL, 326–333
dirt
built-in sensor, 689–697
vacuum cleaners, 689–697
disinfection, soluble oil metalworking fluids, 178–183
distribution
cotton dust sampler, 567–571
lognormal, 567–571
DOE. *See* Department of Energy (DOE)
Dose-response relationship
hand-arm vibration syndrome, 305–310
lifetime exposure dose, 305–310
dust
agricultural, endotoxin assays, 430–438
cotton sampler, 567–571
exposure, concrete cutting and grinding, 458–467
inhalable, bitumen fume, 293–299
lead, automobile refinishing, 741–749
pickup efficiency, 689–697
respirable crystalline silica, 750–755
softwood, BC lumber mills, 709–714
soil sampling activities, 76–80
vacuum cleaner, 689–697
wood
airborne particulate matter, 311–316
occupational exposure, 166–171
RespiCon™, 311–316

E

electric and magnetic fields (EMFs)
exposure to, 636–640
threshold limit value, 636–640
electromyography
grip force, 269–274
muscle activity, 269–274
elemental carbon, 610–616
ELPAT. *See* Environmental Lead Proficiency Analytical Testing (ELPAT) Program
EMFs. *See* electric and magnetic fields (EMFs)
endotoxin
agricultural dusts, 430–438
assays, 430–438
energy expenditure, musculoskeletal disorders, 29–33
engineering control
carbon monoxide poisoning, 361–369
houseboats, 361–369
Environmental Lead Proficiency Analytical Testing (ELPAT) Program
Round 36, 84–87
Round 37, 241–244
Round 38, 664–668
Round 39, 664–668
epidemiology
cancer risks, 254–261
pulp, paper, and paper product workers, 254–261
ergonomics
hand tools, 586–593
light manufacturing facilities, Mexico, 300–304
locomotives, 439–446
simulated wire-twisting task, 586–593
whole-body vibration, 439–446
ethics
codes, 151–155
industrial hygienists, England, 151–155
exhaust stack
carbon monoxide poisoning, 361–369
houseboats, 361–369
exposure
benzene, 685–688
crab allergen, 605–609
database, 205–212
BC lumber mills, 709–714
Department of Defense cleanup operations, 213–224
hydrogen sulfide, 317–325
kraft pulp mill, 317–325
modeling
VOC emissions, 340–347
water pollution control plant, 340–347
surveillance, 205–212
variability, biomonitoring, 390–401
exposure assessment
animal health students, 647–650
cancer risks among pulp, paper, and paper product workers, 254–261
dry asbestos-containing gaskets and packings, 732–740
epidemiologic research and practice, 384–389
forestry, 617–627
formaldehyde, 647–650
high hazard frequently monitored agents, 424–429
modeling vs. monitoring, 275–283
models for various contaminant source, air inlet, and exhaust locations, 402–412
noise levels, construction, 334–339
vibration and noise, 617–627
exposure estimate uncertainty, modeling vs. monitoring, 275–283
extremely low frequency (ELF) electric and magnetic fields
position statement, 678
White Paper, 679–684

F

fiber count, phase contrast microscopy, 756–761
fibers, carbon-graphite/epoxy advanced composite material, 413–423
field analysis, gas chromatography/mass spectrometry, 284–292
filter
inhalable airborne particulates, 698–702
mass instability, 698–702
fit factor, fit-test methods, 762–767
fit-test, methods, 762–767
fittings
gaskets and packings, 732–740
industrial and maritime, 732–740
fluid replacement, dehydration, 190–198
fluorescence, asphalt paving fumes, 628–635
forestry
exposure assessment, 617–627
noise, 617–627
RespiCon™ personal aerosol sampler, 311–316
vibration, 617–627
fumes, asphalt (bitumen), 628–635
fungal contamination, Aspergillus, 135–140
furniture stripping, OSHA methylene chloride PEL, 326–333

G

gas, tracer, 572–577
gas chromatography, bitumen fume in inhalable particles, 293–299
gas chromatography/mass spectrometry, laboratory analysis and solid phase microextraction sampling, 284–292
gaskets, dry asbestos-containing, 732–740
gas monitors, evaluation of, 559–566
gasoline, benzene, 225–230
gloves
difference in, 269–274
grip force, 269–274
muscle activity, 269–274
testing, 62–71
glutaral, radiographic film processing, 11–21

H

handgrip, maximum acceptable torques, 594–604
hand strength, differences due to glove type, 269–274
hand tools
ergonomics, 586–593
simulated wire-twisting task, 586–593
hazard surveillance, Department of Energy cleanup operations, 213–224
HCFC-123. *See* 2,2-dichloro-1,1,1-trifluoroethane (HCFC-123)
hearing
conservation
audiometric thresholds, 482–487
auto workers, 482–487
construction, 334–339
exposure assessment, 334–339
noise levels, 334–339
protection
device, 768–789
noise-exposed workers, 199–204

heat stress, clothing ventilation and insulation, 262–268
high temperature dispersion
CS riot control agent, 493–496
exposure risks, 493–496
hospitality industry
indoor air quality, 47–54
ventilation, 47–54
hot jobs, fluid replacement, 190–198
houseboats, carbon monoxide poisoning, 361–369
human performance
ergonomics, 586–593
simulated wire-twisting task, 586–593
hydration
hot jobs, 190–198
fluid replacement, 190–198
hydrogen chloride, liberation during high-temperature dispersion, 493–496
hydrogen cyanide, liberation during High-temperature dispersion, 493–496
hydrogen sulfide, passive card monitors, 317–325
1-hydroxypyrene, road paving, 156–165
hypersensitivity, radiographic film processing, 11–21
hypohydration
hot jobs, 190–198
fluid replacement, 190–198

I

impinger
air sampling, 790–796
aliphatic isocyanates, 790–796
indoor air quality
art, printmaking, 703–708
Aspergillus, detectable amounts, 135–140
hospitality environments, 47–54
pollutant releases, 234–238
recirculation, 234–238
ventilation, 47–54
indoor environmental quality, commercial office buildings, 354–360
industrial hygiene
database, 205–212
Department of Energy cleanup operations, 213–224
infrared spectroscopy, bitumen fume in inhalable particles, 293–299
inhalable aerosols, limit of detection, 698–702
inhalation exposure, acrylamide, 468–473
instrument calibration, aerosol photometers, 578–585
insulation, clothing, 262–268
intervention effectiveness research, 205–212
ionizing radiation, high hazard frequently monitored agents, 424–429

K

kraft pulp mill
hydrogen sulfide, 317–325
worker exposure, 317–325

L

LBP. See low-back pain (LBP)
lead
battery workers, 641–646
dust, automobile refinishing, 741–749
exposure, 22–28
inorganic, 641–646
percutaneous absorption, 641–646
residential and commercial painters, 22–28
soil sampling, 76–80
surface sampling, dust, 689–697
limit of detection (LOD), inhalable airborne particulates, 698–702
lipopolysaccharide
agricultural dust, 430–438
endotoxin assays, 430–438
LiPS. *See* liquid passive sampler
liquid passive sampler (LiPS)
N,N-dimethylacetamide (DMAC), 726–731
N,N-dimethylformamide (DMF), 726–731
local exhaust ventilation, film processing machines, 11–21
locomotives
ergonomics, 439–446
whole-body vibration, 439–446
loudness level
integrated, 172–177
iron and steel works, 172–177
low-back pain (LBP), research, 55–61

M

MAP. *See* 1-(9-anthracenylmethyl)piperazine (MAP)
masonry, local exhaust ventilation controls, 458–467
maximum acceptable torques
handgrip, 594–604
repetitive wrist motion, 594–604
MET. *See* resting metabolic rate (MET)
metals, pressure-treated wood, 166–171
metalworking fluid
auto workers, 488–492
disinfection of, 178–183
soluble oil, 178–183
solvent extraction, 488–492
method validation
agricultural dust, 430–438
endotoxin assays, 430–438
methylene chloride
automotive refinishing, 741–749
furniture stripping, 326–333
OSHA PEL, 326–333
Mexico
anthropometric measures, 300–304
light manufacturing facilities, 300–304
military personnel, field gas chromatography/mass spectrometry, 284–292
Mine Safety and Health Administration (MSHA), diesel exhaust in nonmetal mines, 651–658
mitigation, noise control measures, 172–177
modeling vs. monitoring, exposure estimate uncertainty, 275–283
models
analytical, 572–577
completely mixed, 402–412
empirical, softwood dust exposures, 709–714
human tracheobronchial hollow airway, 141–150
low-back pain, 55–61
uniform diffusivity, 402–412
molding, liquid composites, 184–189
molecular biology laboratories
acrylamide, 468–473
inhalation exposure, 468–473
Monte Carlo simulation, VOC emissions, 340–347

N

National Institute for Occupational Safety and Health (NIOSH)
carbon monoxide, poisoning, houseboats, 361–369
extracting metalworking fluid aerosol samples, 488–492
method 5040, diesel particulate matter, 610–616, 651–658
method 7400, fiber counting, 756–761
method 7600, measuring chromic acid concentrations, 7
noise-exposed workers, hearing protection, 199–204
respirable quartz exposures, 447–457
National Occupational Exposure Survey
hearing protection, 199–204
noise-exposure, 199–204
NIHL. *See* noise-induced hearing loss (NIHL)
NIOSH. *See* National Institute for Occupational Safety and Health (NIOSH)
N-methylpyrrolidone (NMP), permeation of gloves, 62–71
noise
auto workers, 482–487
dentistry equipment, 231–233
forestry, 617–627
hearing conservation, 482–487
hearing protector use, 199–204
high-frequency, 231–233
integrated, 172–177
iron and steel works, 172–177
noise–induced hearing loss (NIHL)
auto workers, 482–487
construction workers, 768–789
nonparametric test
cotton dust sampler, 567–571
exposure monitoring, 567–571

O

occupational exposure
crab allergen, 605–609
radiographic film processing, 11–21
respirable crystalline silica, farming, 750–755
softwood dust, BC lumber mills, 709–714
wood dust and heavy metals, 166–171

occupational health and safety
energy expenditure, 29–33
field study sites, 34–46
management system, 34–46
scoring methods, 34–46
occupational hygiene, in UK, 151–155
occupational injury and safety, trends, 550–553
Occupational Safety and Health Administration (OSHA)
exposure monitoring, cotton dust sampler, 567–571
fit-test methods, 762–767
furniture stripping, 326–333
half-mask air-purifying respirator, protection, 22–28
methylene chloride PEL, 326–333
optical aerosol photometer. *See* photometer
organic carbon
locomotives, 610–616
underground nonmetal mines, 651–658
organic vapor monitor
indoor air quality, 703–708
printmaking solvents, 703–708
ortho-chlorobenzylidenemalononitrile, high-temperature dispersion, 493–496
OSHA. *See* Occupational Safety and Health Administration (OSHA)

P

packing, dry asbestos-containing, 732–740
painters
glove permeation, 62–71
lead exposure, 22–28
paint stripping, automotive refinishing, 741–749
particulates
carbon-graphite/epoxy advanced composite material, 413–423
lead-contaminated soil sites, 76–80
partition coefficient, 685–688
passive card monitor
hydrogen sulfide, 317–325
kraft pulp mill, 317–325
PAT Program. *See* Proficiency Analytical Testing (PAT) program
paving, exposure to fumes, 628–635
PBPK. *See* physiological based pharmacokinetic (PBPK) modeling
phase contrast microscopy, fiber count, 756–761
photometer
aerosol, 578–585
optical aerosol, 689–697
response prediction, 578–585
physiological based pharmacokinetic (PBPK) modeling, benzene, 685–688
plastic
glass-fiber, 184–189
reinforced, 184–189
poisoning
carbon monoxide, 361–369
houseboats, 361–369
polyacrylamide gel electrophoresis, inhalation exposures, 468–473
polycyclic aromatic compounds, asphalt paving fumes, 628–635
polycyclic aromatic hydrocarbons (PAHs)
amino/nitro, Söderberg aluminum smelter, 721–725
exposure, 156–165
road paving, 156–165
power
cotton dust sampler, 567–571
exposure monitoring, 567–571
precision, carbon monoxide monitor, 559–566
printmaking
indoor air quality, 703–708
volatile organic compounds (VOCs), 703–708
process optimization
styrene emissions, 474–481
unsaturated polyester resins, 474–481
professional misconduct. See ethics
Proficiency Analytical Testing (PAT) Program
Round 147, 239
Round 148, 239–240, 372–373
Round 149, 372–373, 499–500
Round 150, 499–500, 797–798
Round 151, 797–798
program protection factor (PPF), respirators, 72–75
protective clothing, ventilation and insulation, 262–268
Pseudomonas fluorescens, soluble oil metalworking fluids, 178–183
public health
Department of Energy cleanup operations, 213–224
surveillance, 205–212
pulp and paper industry, cancer risks, 254–261

Q

α-quartz, respirable dust, 348–353
quartz
exposure, 447–457
heavy and highway construction, 447–457

R

radiographic film processing, 11–21
radiography. *See* radiographic film processing
railroads
diesel particulates, 610–616
ergonomics, 439–446
whole-body vibration, 439–446
rapid prototyping, selective laser sintering, 141–150
rats
lead exposure, 641–646
skin absorption, 641–646
reliability
ambient monitoring, 659–663
carbon disulfide, 659–663
repetitive wrist motion
handgrip, 594–604
maximum acceptable torques, 594–604
respirable crystalline silica, farming, 750–755
respirable dust
α-quartz, 348–353
toxicity and crystallinity, 348–353
respirators
fit-test methods, 762–767
performance terminology, 132
program protection factor, 72–75
respiratory, crab allergen exposure, 605–609
resting metabolic rate (MET)
level of energy expenditure, 29–33
musculoskeletal disorders, 29–33
rise distance, bubble bursting, 5–10
risk assessment
low-back pain, 55–61
α-quartz, 348–353
respirable dust, 348–353
VOC emissions, 340–347
water pollution control plant, 340–347
risk perception, electric and magnetic fields (EMFs), 636–640
road paving, bitumen fumes, 156–160

S

sample size
cotton dust sampler, 567–571
exposure monitoring, 567–571
sampling
active, carbon disulfide, 659–663
air
aliphatic isocyanates, 790–796
samples, 326–333
2,2-dichloro-1,1,1-trifluoroethane in workplace air, 715–720
fumes during heavy and highway construction, 447–457
inhalable sampler, 790–796
methylene chloride, 326–333
microextraction, solid phase, 284–292
OSHA PEL, 326–333
particle size–selective, 311–316
passive, carbon disulfide, 659–663
personal, carbon disulfide, 659–663
RespiCon™, 311–316
Size-selective, 447–457
surface lead, dust pickup efficiency, 689–697
stationary, carbon disulfide, 659–663
strategy, softwood dust exposures, 709–714
sanding
automobile refinishing, 741–749
dust, 741–749
screw driving
maximum acceptable torques, 594–604
repetitive wrist motion, 594–604
selective laser sintering (SLS), human tracheobronchial hollow airway models, 141–150
semivolatile organic compounds (SVOCs), road paving, 156–165
shock
ergonomics, 439–446
high level, 439–446
locomotives, 439–446
vibration, 439–446

silica
concrete cutting and grinding, 458–467
construction, heavy and highway, 447–457
dust control, 458–467
exposure, 447–457, 458–467
respirable crystalline, farming, 750–755
skin
absorption, 685–688
benzene, 685–688
smoke, carbon-graphite/epoxy advanced composite material, 413–423
Söderberg aluminum smelter, amino/nitro polycyclic aromatic hydrocarbons (PAHs), 721–725
soil remediation, 76–80
solid phase microextraction, gas chromatography/mass spectrometry, 284–292
solvent extraction
auto workers, 488–492
metalworking fluid, 488–492
specific toxicity
α-quartz, 348–353
respirable dust, 348–353
speech interference level (SIL)
integrated, 172–177
iron and steel works, 172–177
spray-up
styrene emissions, 184–189, 474–481
unsaturated polyester resins, 474–481
Stockholm Workshop scale
shipyard workers, 305–310
vascular and neurological symptoms, 305–310
styrene
emissions from spray-up, 184–189
unsaturated polyester resins, 474–481
sulfur dioxide, radiographic film processing, 11–21
supination
maximum acceptable torques, 594–604
repetitive wrist motion, 594–604
surface preparation, residential and commercial painting, 22–28
surveillance
Department of Energy cleanup operations, 213–224
exposure, 205–212
hazard, 205–212
noise-exposed workers, 199–204
public health, 205–212

T

threshold limit value, electric and magnetic fields (EMFs), 636–640
total volatile organic compounds (TVOCs)
commercial office buildings, 354–360
indoor air quality, 354–360
printmaking, 703–708
tracer gas, surface treatment tanks, 572–577
tracheobronchial, hollow airway models, 141–150
TVOCs. *See* total volatile organic compounds (TVOCs)
TV screen
fiber counting, 756–761
phase contrast microscopy, 756–761

U

UAI. See universal assessment instrument
ulnar deviation
maximum acceptable torques, 594–604
repetitive wrist motion, 594–604
ultraviolet (UV), disinfection of soluble oil metalworking fluids, 178–183
uniform diffusivity models, 402–412
unique microbial volatile organic compounds (UMVOCs), Aspergillus, 135–140
unique MVOCs. *See* unique microbial volatile organic compounds (UMVOCs)
universal assessment instrument (UAI), occupational health and safety, 34–46
unsaturated polyester, styrene emission, 474–481
upper extremity musculoskeletal disorders (UEMSDs)
handgrip, 594–604
maximum acceptable torques, 594–604
repetitive wrist motion, 594–604
UV. *See* ultraviolet (UV)

V

vacuum
cleaner, dust pickup efficiency, 689–697
injection, styrene emissions, 184–189
validity
assessment of energy expenditure, 29–33
occupational health and safety management system, 34–40
variation
biomonitoring, 390–401
exposure levels in high hazard agents, 424–429
interindividual source of, 390–401
intraindividual source of, 390–401
ventilation
air quality, hospitality environments, 47–54
clothing, 262–268
concrete cutting and grinding, 458–467
exhaust lateral, 572–577
local exhaust, 458–467
open surface tank, 572–577
pollutant releases, 234–238
recirculation, 234–238
surface treatment tanks, 572–577
vibration
ergonomics, 439–446
forestry, 617–627
hand-arm vibration syndrome, 305–310
lifetime vibration dose, 305–310
locomotives, 439–446
whole-body, 439–446
VOCs. *See* volatile organic compounds (VOCs)
volatile organic compounds (VOCs)
printmaking, 703–708
styrene emissions, 184–189
water pollution control, 340–347

W

waste water
volatile organic compounds, 340–347
water pollution control, 340–347
water pollution control plant
risk assessment, 340–347
VOC emissions, 340–347
water-soluble
N,N-dimethylacetamide (DMAC), 726–731
N,N-dimethylformamide (DMF), 726–731
welding, fumes, exposure, 447–457
White Paper, extremely low frequency (ELF) electric and magnetic fields, 679–684
wood, pressure-treated, 166–171
workplace environment
coke oven plants, 72–75
respirator usage, 72–75
workstation, light manufacturing facilities, 300–304

X

X-ray diffraction line broadening
α-quartz, 348–353
respirable dust, 348–353